Claremont Natives for Your Garden

Annuals	Whole	Leaves	Flowers	Fruit/Other
<i>Amsinkia species</i> (rancher's fireweed) Annual, 1-2ft tall, hairy stems and leaves, best in masses; leaves 2";widely- spaced branches off a main stem; small yellow flowers in coiled groups in early spring				
<i>Camissonia bistorta</i> (suncups) Annual, short, spreading to 1ft; leaves to 3", yellow flowers to 1" in spring, red dot at base of petals; some variation in leaf shape, hairs, and sometimes stems climb a bit (see photo at right)				
<i>Centaurium venustum</i> (conchalagua) Annual, under 6", slender stem with a few branches at top; a few leaves to 1"; bright pink flowers in spring				

Annuals	Whole	Leaves	Flowers	Fruit/Other
<i>Clarkia purpurea</i> (four spot) Annual to 2ft, slender stems, widely-spaced branches; leaves to 2"; pink flowers with deeper pink or purple spots at ends; elongated fruit with longitudinal grooves				Fruit at left
<i>Eriastrum saphirinum</i> (blue starflower) Annual to 1ft; slender, widely-spaced branches; leaves to 1' and needlelike, sparse; flowers about 1/2", brilliant blue in clusters; best in drifts; blooms in early summer				
<i>Eriogonum gracile</i> (slender buckwheat) Annual about 1ft, bushy with slender, mostly leafless stems arising from a basal rosette with leaves about 4"; tiny pink and white flowers in early summer; plants turn red in autumn		Young plant		

Annuals	Whole	Leaves	Flowers	Fruit/Other
Eucrypta chrysanthemefolia (no common name) Annual to 2ft x 2ft; large clumps of ferny leaves to 6"; sprays of 1/4" white flowers in late spring, early summer				
<i>Gnaphthalium californica</i> (pearly everlasting) Annual to 3 ft; unbranched stems from base; sticky leaves to 4"; branched groups of small, white, pointed, papery flowers in spring; fluffy fruits leaving dry bracts behind				
<i>Lessingia filaginifolia</i> (California aster) Annual to 3ft by3ft, grayish, downy, leafy clump when young; gray leaves move further apart as stems elongate and branch; small, purple daisies about 1" dot the stems in mid-summer to fall				Foung plant

Annuals	Whole	Leaves	Flowers	Fruit/Other
<i>Lessingia glandulifera</i> (no common name) Annual to about 1ft x1ft; group of slender, branched stems; leaves very small, dark green and a bit sticky; yellow heads of flowers about size of a nickel; blooms in summer with blue <i>Eriastrum</i>				Young plant
<i>Lupinus bicolor</i> (miniature lupin) Annual to 1ft x 1ft; leaves gray-green and hairy, leaflets arise from central point; purple and white flowers in elongated groups in spring; pea pod shaped fruit			We want	
<i>Nicotiana quadrivalvus</i> (annual tobacco) Annual to 3ft; leaves to 4"; tubular white flowers about 2" in spring				

Annuals	Whole	Leaves	Flowers	Fruit/Other
 Phacelia distans (no common name) Annual to 2ft; brittle stems, branched and hairy; leaves ferny to 4"; coils of small purple flowers in spring; favorite of pollinators Phacelia ramosissima is a larger species with pale lavender flowers 				
<i>Salvia columbariae</i> (chia) Annual to 1ft; rosette of leaves at base; leaves ferny and bumpy, to 3"; bright blue flowers in circular groups around flowering stems (one per plant) in spring; tiny black seeds are edible				
<i>Trifolium wildenovii</i> (tomcat clover) Annual to 1ft; angular look; widely-spaced leaves with long stem and 3 leaflets, leaflets about 2"; bright pink clover flowers about 3/4" in spring				